

# KSS TRILLION GROUP

บริษัท เค เอส เอช ทริลเลียน กรุ๊ป

# Maxup

“ รอยคุณภาพ มาตรฐานสากล ”

“ แข็งแรง ทนทาน ใช้งานยาวนาน ”

“ ราคาขายกระเป๋  
ประสิทธิภาพครบถ้วนทุกการใช้งาน ”



# KSS TRILLION GROUP CO.,LTD

บริษัท เค เอส เอส ทริลเลียน กรุ๊ป จำกัด


จำหน่ายรถยกทุกชนิด ภายใต้แบรนด์ MAXUP ครอบคลุมทั้ง โฟล์คลิฟท์ (Forklift), บูมลิฟท์ (Boom Lift), สแตคเกอร์ (Stacker), แอนด์ลิฟท์ (Hand Lift) และรถยกทุกประเภท จากผู้ผลิตคุณภาพมาตรฐานสากล พร้อมให้บริการทั้งในประเทศและส่งออกทั่วโลก

เรามุ่งมั่นคิดสรรสินค้าที่มีประสิทธิภาพสูง เพื่อตอบโจทย์การใช้งานในทุกภาคอุตสาหกรรม ทั้งในโรงงาน คลังสินค้า และงานขนย้ายหลากหลายประเภท พร้อมติดตั้งเทคโนโลยีอัจฉริยะ ทั้งรถยกอัตโนมัติ ระบบโรติกซ์บับ และเครื่องมืออัจฉริยะที่ตรวจสอบสถานะเรียลไทม์ เช่น GPS บอกรพิกัด, แสดงเปอร์เซ็นต์การใช้งาน, ระดับแบตเตอรี่ และน้ำมัน ช่วยเพิ่มประสิทธิภาพ ความปลอดภัย และลดต้นทุนแรงงาน

ด้วยความมุ่งมั่นในการพัฒนาคุณภาพสินค้าและบริการอย่างต่อเนื่อง เราตั้งเป้าสู่การเป็นผู้นำด้านโซลูชันงานยกในประเทศไทย พร้อมมอบประสิทธิภาพ คุณภาพ และความพึงพอใจสูงสุดให้แก่ลูกค้าในทุกการลงทุน เพื่อให้ลูกค้าได้รับความคุ้มค่าและผลลัพธ์ที่ดีที่สุด



KSS Trillion Group Co.,Ltd.



## บริการของเรา (OUR SERVICES)

- จัดจำหน่ายรถยกครบวงจร
- ให้คำปรึกษาและวิเคราะห์ความต้องการ
- บำรุงรักษาและตรวจเช็คประจำ
- ซ่อมแซมอะไหล่แท้แน่นอน
- บริการหลังการขายยอดเยี่ยม

## ติดต่อเรา (CONTACT US)

- ☎ 02-002-9236 (Office 1)
- 099-465-3664 (Office 2)
- 087-716-4994 (คุณกาญจนา)
- ✉ [kss@trilliongroup.com](mailto:kss@trilliongroup.com)

# Maxup

” ยกสูงอย่างมั่นใจ ทิวาไปกับเรา ”



## จำหน่ายรถยกคุณภาพสูง ครอบคลุมทุกประเภท

จำหน่ายรถยกทุกประเภท ทั้งโฟล์คลิฟท์, บูมลิฟท์, สแตกเกอร์ และแฮนด์ลิฟท์ มาตรฐานคุณภาพสูงระดับสากล พร้อมรุ่นไฟฟ้าและน้ำมัน ครอบคลุมทุกการใช้งานและตอบโจทย์ทุกความต้องการของผู้ใช้บริการ

## ให้เช่ารถยก

จำหน่ายและให้เช่ารถยกทุกชนิด ทั้งระยะสั้นและระยะยาว สำหรับงานชั่วคราว โครงการพิเศษ หรือการใช้งานประจำ

## รับเทิร์น / แลกเปลี่ยน

รับเทิร์นและแลกเปลี่ยน พร้อมรับซื้อรถโฟล์คลิฟท์เก่า หรือแลกเปลี่ยนรุ่นใหม่ ประเมินราคา ยุติธรรม ช่วยให้คุณค่าอัปเกรดได้ง่ายขึ้น สะดวก และคุ้มค่า

## บริการซ่อมบำรุงและเปลี่ยนอะไหล่

บริการซ่อมโดยช่างผู้เชี่ยวชาญ พร้อมอะไหล่แท้ครบครัน ตรวจสอบเช็คสภาพรถยกอย่างละเอียด เพื่อป้องกันปัญหาหาก่อนเกิดเหตุ และรับประกันประสิทธิภาพการใช้งานสูงสุด

## บริการหลังการขาย

บริการให้คำปรึกษาและติดตามผลหลังการขายอย่างต่อเนื่อง โดยทีมงานมืออาชีพ ช่วยให้ลูกค้าใช้งานรถยกได้เต็มประสิทธิภาพ พร้อมมั่นใจในความปลอดภัยและผลลัพธ์สูงสุด

# Internal Combustion Forklift



**K Series Diesel**  
**CPD20/25/30/35**

Rated Load:2000/2500/3000/3500kg  
Engine:Xinchai/Isuzu/Mitsubishi  
Lifting height:3000-6000mm



**T2 Series Diesel**  
**CPD20/25/30/35**

Rated Load:2000/2500/3000/3500kg  
Engine:Xinchai/Isuzu/Mitsubishi  
Lifting height:3000-6000mm



**T2 Series LPG**  
**CPQYD20/25/30/35**

Rated Load:2000/2500/3000/3500kg  
Engine:GCT K21/25  
Lifting height:3000-6000mm



**LG Series Diesel**  
**LG20/25/30/35DT**

Rated Load:2000/2500/3000/3500kg  
Engine:Xinchai/Isuzu/Mitsubishi  
Lifting height:3000-6000mm



**LG Series Diesel LG40/50DT**

Rated Load:4000/5000kg  
Engine:Xichai/Mitsubishi  
Lifting height:3000-6000mm



**LG Series Diesel LG50/60/70DT**

Rated Load:5000/6000/7000kg  
Engine:Xichai/Isuzu/Mitsubishi  
Lifting height:3000-6000mm



**LG Series Container Operation**  
**LG80/100DT**

Rated Load:8000/10000kg  
Lifting height:2100-2500mm



**LG Series Diesel LG85/100DT**

Rated Load:8500/10000kg  
Engine:Xichai/Isuzu  
Lifting height:3000-6000mm



**LG Series Diesel LG120/135DT**

Rated Load:12000/13500kg  
Engine:Xichai/Cummins  
Lifting height:3000-6000mm



**LG Series Diesel LG160DT**

Rated Load:16000kg  
Engine:Weichai/Cummins  
Lifting height:3500-6000mm



**LG Series Diesel HNF-280/300**

Rated Load:28000/30000kg  
Engine:Yuchai/Cummins  
Lifting height:3500-6000mm



**LG Series Diesel HNF-320/350**

Rated Load:32000/35000kg  
Engine:Yuchai/Cummins  
Lifting height:3500-6000mm



**2WD Rough Terrain**  
**CPCD25/30/35**

Rated Load:2500/3000/3500kg  
Engine:Xinchai/Kubota  
Lifting height:3000-6000mm



**4WD Rough Terrain**  
**CPCD25/30/35/50**

Rated Load:2500/3000/3500/5000kg  
Engine: Xinchai/Kubota  
Lifting height:3000-6000mm



**Telehandler HNT3007/3507**

Rated Load:3000/3500kg  
Engine:Cummins  
Lifting height:0-7000mm



**Telehandler HNT4017/4517/5017-4Z**

Rated Load:4000/4500/5000kg  
Engine:Cummins  
Lifting height:0-17000mm

# Electric Forklift



**E Series Lithium  
CPD20/25/30/35**  
Rated Load:2000/2500/3000/3500kg  
Battery:80V/205/280/350Ah  
Lifting height:3000-6000mm



**E2 Series Lithium  
CPD20/25/30/35**  
Rated Load:2000/2500/3000/3500kg  
Battery:80V/205/280/350Ah  
Lifting height:3000-6000mm



**E Series Lithium  
CPD50/60/70**  
Rated Load:5000/6000/7000kg  
Battery:96V/600Ah  
Lifting height:3000-6000mm



**E Series Lithium  
CPD85/100**  
Rated Load:8500/10000kg  
Battery:96V/920Ah  
Lifting height:3000-6000mm



**C Series Lead-acid  
CPD10/15C**  
Rated Load:1000/1500kg  
Battery:60V/120Ah  
Lifting height:3000-6000mm



**C Series Lead-acid  
CPD20/25C**  
Rated Load:2000/2500kg  
Battery:72V/210Ah  
Lifting height:3000-6000mm



**C Series Lead-acid  
CPD30/35C**  
Rated Load:2000/3500kg  
Battery:72V/260Ah  
Lifting height:3000-6000mm



**C Series Lead-acid  
CPD40/50C**  
Rated Load:4000/5000kg  
Battery:80V/300/350Ah  
Lifting height:3000-6000mm



**N Series Elevator Use Lithium  
CPDS08/10**  
Rated Load:800-1000kg  
Battery:24V/250Ah  
Lifting height:3000-6000mm



**N Series Counterbalance  
Lead-acid MN18**  
Rated Load:1800kg  
Battery:48V/460Ah  
Lifting height:3000-6000mm



**G Series 3 wheels Lead-acid  
E10/13/15/30GS**  
Rated Load:1000/1300/1500kg  
Battery:24V/300/350/400Ah  
Lifting height:3000-4500mm



**N Series 3 wheels Lithium  
LG16/18/20BE**  
Rated Load:1600/1800/2000kg  
Battery:80V/150Ah  
Lifting height:3000-6000mm



**N Series Lithium LG15/18B**  
Rated Load:1500/1800kg  
Battery:80V/205Ah  
Lifting height:3000-6000mm



**N Series Lithium LG20/25B**  
Rated Load:2000/2500kg  
Battery:80V/205Ah  
Lifting height:3000-6000mm



**N Series Lithium LG30/35B**  
Rated Load:3000/3500kg  
Battery:80V/280Ah  
Lifting height:3000-6000mm



**N Series Lithium LG40/50B**  
Rated Load:4000/5000kg  
Battery:80V/410Ah  
Lifting height:3000-6000mm

# Warehouse Equipment



**Hand Pallet Truck CBYC2/1**  
Rated Load:  
2000/2500/3000kg



**Electric Pallet Truck EPT15/20**  
Rated Load:1500/2000kg  
Battery:Li-ion 48V/15Ah



**Electric Pallet Truck NPT20**  
Rated Load:2000kg  
Battery:Lead-acid 48V/25Ah



**Electric Pallet Truck PT30**  
Rated Load:3000kg  
Battery:Lead-acid 48V/40Ah



**Electric Stacker PSL15/20**  
Rated Load:1500/2000kg  
Battery:Lead-acid 48V/40Ah  
Lifting height:1600-3500mm



**Electric Stacker TANK15**  
Rated Load:1500kg  
Battery:Lead-acid 48V/70Ah  
Lifting height:1600-3500mm



**Stand-on Reach Truck MF15/20**  
Rated Load:1500/2000kg  
Battery:Lead-acid 48V/300Ah  
Lifting height:3000-7500mm



**Seated Reach Truck MFZ16/20**  
Rated Load:1600/2000kg  
Battery:Lead-acid 48V/420Ah  
Lifting height:4500-10000mm



**Scissor Reach Truck MFE14/20**  
Rated Load:1400/2000kg  
Battery:Lead-acid 48V/550Ah  
Lifting height:5000-10000mm



**Order Picker MHB13**  
Rated Load:1360kg  
Battery:Lead-acid 48V/450Ah  
Lifting height:6000-9000mm



**Seated 3-way Stacker MCA16**  
Rated Load:1600kg  
Battery:Lead-acid 48V/600Ah  
Lifting height:4500-12000mm



**Man-up 3-way Stacker MCC16**  
Rated Load:1600kg  
Battery:Lead-acid 80V/560Ah  
Lifting height:4500-9500mm



**Articulated Forklift NA15-30**  
Rated Load:1500/2000/2500/3000kg  
Battery:Lead-acid 80V/500Ah  
Lifting height:4300-15000mm



**All-directional Forklift MQK30**  
Rated Load:3000kg  
Battery:Lead-acid 48V/480Ah  
Lifting height:3600-8000mm



**All-directional Reach Truck (stand-on)MQ25/30**  
Rated Load:2500/3000kg  
Battery:Lead-acid 48V/400/460Ah  
Lifting height:4500-8000mm



**All-directional Reach Truck (Seated)MQC25/30/35/50**  
Rated Load:2500/3000/3500/5000kg  
Battery:Lead-acid 48V/500/560Ah  
Lifting height:4500-8000mm

# Aerial Work Platform



**Stand-on Order Picker  
OPC03/04M**  
Rated Load:110kg  
Battery:24V/108Ah  
Platform height:3000/4000mm



**Single Mast Aluminum Alloy  
Platform GTWY-A Series**  
Rated Load:125kg  
Battery:24V/70Ah  
Platform height:6000/8000/9000mm



**Double Mast Aluminum Alloy  
Platform GTWY Series**  
Rated Load:200kg  
Battery:24V/70Ah  
Platform height:6/8/10/12m



**Manual Walkie Platform  
SJY Series**  
Rated Load:500kg  
Battery:48V/70Ah  
Platform height:7000/9000/11000mm



**Electrical Walkie Platform  
SJY-A Series**  
Rated Load:500kg  
Battery:48V/70Ah  
Platform height:7/9/11/12m



**Stand-on Driving Platform  
SJY-Z Series**  
Rated Load:500/300kg  
Battery:48V/70Ah  
Platform height:7/9/11/12.85m



**Mini Self-Propelled Platform  
SJC0805/0806**  
Rated Load:320/230kg  
Battery:48V/70Ah  
Platform height:4500/5800mm



**Self-Propelled Platform  
SJC0810/1012/1214/1416**  
Rated Load:320/230kg  
Battery:24V/200/240Ah  
Platform height:8/10/12/14m



**Electric Articulating Boom  
Lift V09/11**  
Rated Load:200kg  
Battery:48V/300Ah  
Platform height:9300/10500mm



**Electric Articulating Boom  
Lift V12/14/16**  
Rated Load:230kg  
Battery:48V/220/300Ah  
Platform height:11.5/13.8/15.8m



**Electric Articulating Boom  
Lift V18/20**  
Rated Load:230kg  
Battery:48V/400Ah  
Platform height:18200/20500mm



**Electric Telescopic Boom  
Lift J16/18/20**  
Rated Load:300kg  
Battery:48V/400Ah  
Platform height:16000/18500/19600mm



**Electric Telescopic Boom  
Lift J24/26Li**  
Rated Load:300kg  
Battery:80V/460Ah  
Platform height:24500/26300mm



**Diesel Articulating Boom  
Lift V14/16D**  
Rated Load:230kg  
Engine:Kubota  
Platform height:14000/15900mm



**Diesel Articulating Boom  
Lift V18/20D**  
Rated Load:230kg  
Engine:Kubota  
Platform height:18200/20500mm



**Diesel Telescopic Boom  
Lift V24/26/30D**  
Rated Load:230kg  
Engine:Cummins  
Platform height:24200/26000/30000mm



**Maxup** Maxup  
ON TRILLION GROUP

K S S T R I L L I O N G R O U P